The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24479

Stream : Pipe Creek

Applicant : Duane A Reavis

P.O. Box 210 6435 N SR 9

Alexandria, IN 46001

Description : A farm pond measuring approximately 500' by 300' will be built to the west of the

existing tree line and a smaller pond will be built approximately 250' to the east of the existing tree line. Details of the project are contained in information received electronically at the Division of Water on September 10, 2007 and in plans and

information received at the Division of Water on

Location : Along the right (south) overbank, beginning approximately 600' upstream of the

County Road 200 West stream crossing and continuing upstream approximately

1200'

DOWNSTREAM: near Alexandria, Monroe Township, Madison County

W½, NW¼, NW¼, Section 23, T 21N, R 7E, Alexandria Quadrangle

Quad Code: 4008536

UTM Coordinates: Downstream 4457605 North, 609945 East

UPSTREAM: W1/2, NE1/4, NW1/4

UTM Coordinates: Upstream 4457515 North, 610305 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24494

Stream : Duck Creek

Applicant : Calvin Fessel

12822 East 239th Street Noblesville, IN 46060-6903

Description : Approximately 250' of Duck Creek's eroded south (right) streambank was

stabilized with end dumped rip rap to protect the bank from further erosion. The rip rap conforms to the existing bank throughout the project area and was not keyed into the streambed. It has a maximum height of 20'. Details of the project are contained in information and plans received at the Division of Water on

September 17, 2007.

Location : Beginning approximately 400' upstream of the State Road 213 stream crossing

and continuing upstream approximately 250'

near Noblesville, White River Township, Hamilton County

SW1/4, NW1/4, SW1/4, Section 35, T 20N, R 5E, Omega Quadrangle

Quad Code: 4008528

UTM Coordinates: Downstream 4443515 North, 590440 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24548

Stream : Henderson Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Henderson

Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in

the banks. Details of the project are contained in information received

electronically at the Division of Water on October 12, 2007 and in plans and

information received at the Division of Water on

Location : The pipeline will cross Henderson Creek about 2.1 miles (11088') southeast of

Banta, Indiana, about 1.2 miles (6336') southwest of the intersection of 300 North

Road and 575 West Road, and about 0.6 mile (3168') northwest of the

intersection of 150 North Road and 575 West Road near Banta, Union Township, Johnson County

NE1/4, Section 8, T 12N, R 3E, Bargersville Quadrangle

Quad Code: 3908652

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24549

Stream : Youngs Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Youngs Creek to

transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically

at the Division of Water on October 12, 2007 and in plans and information

received at the Division of Water on

Location : The pipeline will cross Youngs Creek about 0.9 mile (4752') southwest of Amity,

Indiana, about 0.5 mile (2640') northwest of the intersection of State Highway 252 and 550 East Road, and about 0.7 mile (3696') south of 350 South Road where this road passes over the creek. The project area is located within Sections 7

and 8

near Amity, Blue River Township, Johnson County

Section 8, T 11N, R 5E, Franklin Quadrangle

Quad Code: 3908641

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24550

Stream : Tucker Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42 inch diameter steel natural gas pipeline will be placed beneath Tucker Creek

to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the streambed and a minimum of 3 ft

in the banks. Details of the project are contained in information received electronically at the Division of Water on October 12, 2007 and in plans and

information received at the Division of Water on

Location : The pipeline will cross Tucker Creek about 4.0 miles south/southwest of Franklin,

Indiana, about 0.6 mile west of Mullendore Pond, and about 1.0 mile southwest of

the intersection of 200 East Road and 300 South Road near Franklin, Nineveh Township, Johnson County SW¼, Section 3, T 11N, R 4E, Franklin Quadrangle

Quad Code: 3908641

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24551

Stream : Van Pelt Ditch

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42 inch diameter steel natural gas pipeline will be placed beneath Van Pelt

Ditch to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the streambed and a minimum of 3 ft

in the banks Details of the project are contained in information received electronically at the Division of Water on October 15, 2007 and in plans and

information received at the Division of Water on

Location : The pipeline will cross Van Pelt Ditch about 0.6 mile northeast of Fenns, Indiana,

about 0.4 mile southeast of the intersection of 400 South Road and 75 West Road, and about 0.3 mile north of the intersection of 50 West Road and 450

South Road

near Fenns, Shelby Township, Shelby County Section 30, T 12N, R 7E, Lewis Creek Quadrangle

Quad Code: 3908547

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24552

Stream : Sugar Creek

Applicant : \*Indiana Department of Natural Resources

Division of Engineering

Matthew Pore

402 West Washington Street Room W299

Indianapolis, IN 46204-2739

Description : Deer's Mill Covered Bridge in Shades State Park rehabilitation. Details of the

project are contained in information received electronically at the Division of Water on October 15, 2007 and in plans and information received at the Division

of Water on

Location : Approximately 150' downstream of the new State Road 234 stream crossing

near Alamo, Brown Township, Montgomery County

NE14, NW14, SE14, Section 2, T 17N, R 6W, Alamo Quadrangle

Quad Code: 3908781

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24553

Stream : Lewis Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42 inch diameter steel natural gas pipeline will be placed beneath Lewis Creek

to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the streambed and a minimum of 3 ft

in the banks Details of the project are contained in information received electronically at the Division of Water on October 15, 2007 and in plans and

information received at the Division of Water on

Location : The pipeline will cross Lewis Creek about 4.0 miles (21120') south/southeast of

Shelbyville about 0.7 mile (3696') due south of 350 South Road where it passes over the creek, and about 0.4 mile (3696') northeast of the intersection of 450

South Road and State Highway 9

near Shelbyville, Shelby Township, Shelby County Section 28, T 12N, R 7E, Lewis Creek Quadrangle

Quad Code: 3908547

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24554

Stream : Little Lewis Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42 inch diameter steel natural gas pipeline will be placed beneath Little Lewis

Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the streambed and a minimum of 3 ft

in the banks Details of the project are contained in information received electronically at the Division of Water on October 15, 2007 and in plans and

information received at the Division of Water on

Location : The pipeline will cross Little Lewis Creek about 4.6 miles (24288') southeast of

the center of Shelbyville, Indiana, about 1.7 miles (8976') southwest of Prescott,

Indiana, about 1.7 miles (8976') east/northeast of the intersection of State Highway 9 and CO RD 500 S, and about 0.5 mile north/northeast of the

intersection of CO RD 500 S and CO RD 250 E near Shelbyville, Shelby Township, Shelby County Section 27, T 12N, R 7E, Waldron Quadrangle

Quad Code: 3908546

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24557

Stream : Unnamed Tributary Little

Lewis Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42 inch diameter steel natural gas pipeline will be placed beneath an unnamed

tributary to Little Lewis Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located

in the upper Midwest and Eastern U.S. The pipeline will be placed by the

open-cut construction method. It will have a minimum of 5 ft of cover beneath the

streambed and a minimum of 3 ft in the banks. Details of the project are contained in information received electronically at the Division of Water on October 16, 2007 and in plans and information received at the Division of Water

on

Location : The pipeline will cross the tributary to Little Lewis Creek about 5.2 miles (8976')

southeast of the center of Shelbyville, Indiana, about 1.7 miles (8976') southwest of Prescott, Indiana, about 1.9 miles (10032') east/northeast of the intersection of State Highway 9 and CO RD 500 S, and about 0.6 mile (3168') northeast of the intersection of CO RD 500 S and CO RD 250 E. The project area is located

within Sections 26 and 27

near Prescott, Shelby Township, Shelby County Section 27, T 12N, R 7E, Waldron Quadrangle

Quad Code: 3908546

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24558

Stream : Hurricane Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42 inch diameter steel natural gas pipeline will be placed beneath Hurrican

Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the streambed and a minimum of 3 ft

in the banks. Details of the project are contained in information received electronically at the Division of Water on October 16, 2007 and in plans and

information received at the Division of Water on

Location : The pipeline will cross Hurricane Creek about 1.3 miles (6864') northeast of

Downeyville, Indiana, about 0.5 (2640') mile north of the creek's confluence with Flatrock River, and about 0.5 mile (2640') southwest of the intersection of N CO

RD 300 W and W CO RD 750 N

near Downeyville, Adams Township, Decatur County

Section 32, T 12N, R 9E, Adams Quadrangle

Quad Code: 3908545

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

**IAC 10** 

RASR010 10/18/2007 9:20 AM

Application # : FW-24559

Stream : Hurricane Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description

: A 42 inch diameter steel natural gas pipeline will be placed beneath Vandiver Ditch to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the streambed and a minimum of 3 ft in the banks. Details of the project are contained in information received electronically at the Division of Water on October 16, 2007 and in plans and information received at the Division of Water on

Location

: The pipeline will cross Vandiver Ditch about 3.9 miles southwest of the center of Franklin, Indiana, about 1.7 miles southeast of Mount Pleasant, Indiana, about 1.5 miles south of the intersection of 100 South Road and Center Line Road, and about 0.6 mile northwest of the intersection of 25 West Road and 300 South Road.

The crossing of the floodway is within Sections 32 and 33, Township 12N, Range 4E (Franklin Township), and Section 4, Township 11N, Range 4E (Nineveh Township). The actual crossing of the ditch is in Section 33, Township 12N, Range 4E (Franklin Township).

Near Mt.Pleasant, Franklin Township, Johnson County

Section 33, T 12N, R 4E, Franklin Quadrangle

Quad Code: 3908641

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24560

Stream : Deer Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42 inch diameter steel natural gas pipeline will be placed beneath Deer Creek

to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the streambed and a minimum of 3 ft in the banks. Details of the project are contained in information received

electronically at the Division of Water on October 16, 2007 and in plans and

information received at the Division of Water on

Location : The pipeline will cross Deer Creek about 0.9 mile southeast of the center of

Waldron, Indiana, about 0.6 mile east/southeast of the intersection of South Main Street/CORD 600 E and CORD 550 S, and about 0.5 mile west/southwest of the

intersection of CORD 700 E and CORD 550 S.

Near Waldron, Liberty Township, Shelby County Section 32, T 12N, R 8E, Waldron Quadrangle

Quad Code: 3908546

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24561

Stream : Mill Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description

: A 42 inch diameter steel natural gas pipeline will be placed beneath Mill Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the streambed and a minimum of 3 ft in the banks. Details of the project are contained in information received electronically at the Division of Water on October 16, 2007 and in plans and information

received at the Division of Water on

Location

: The pipeline will cross Mill Creek about 1.7 miles northeast of the center of St. Paul, Indiana, about 1.1 miles east/southeast of the intersection of East Michigan Road and N CORD 800 W, and about 0.2 mile north of Interstate 74 where it passes over the creek.

Near St. Paul, Adams Township, Decatur County Section 35, T 12N, R 8E, Adams Quadrangle

Quad Code: 3908545

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24562

Stream : North Branch Clifty Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42 inch diameter steel natural gas pipeline will be placed beneath North Branch

Clifty Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper

Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the

streambed and a minimum of 3 ft in the banks.

Details of the project are contained in information received electronically at the Division of Water on October 18, 2007 and in plans and information received at

the Division of Water on

Location : The pipeline will cross North Branch Clifty Creek about 0.8 mile northwest of

Sandusky, Indiana, about 0.4 mile east/southeast of the intersection of State

Highway 3 and E CORD 650 N, and about 0.5 mile north of the creek's

confluence with Middle Branch Clifty Creek.

Near Sandusky, Clinton Township, Decatur County

Section 1, T 11N, R 9E, Milroy Quadrangle

Quad Code: 3908544

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24563

Stream : Main Beaver Dam Ditch

Applicant : City of Crown Point

William Meeks

101 North East Street

Crown Point, IN 46307-4027

Description

The superstructure of the existing 3-span bridges carrying I-65 over Main Beaver Dam Ditch will be widened to add a deceleration ramp adjacent to the southbound lanes and an acceleration ramp adjacent to the northbound lanes for the proposed interchange at I-65 and 109th Avenue in Crown Point, Indiana. The 66.67' deck on the southbound structure will be increased by extending both the abutments and piers upstream 30.67' thereby increasing the out-to-out width to 97.33'. The 66.67' deck on the northbound structure will be increased by extending both the abutments and piers downstream 25.42 ' thereby increasing the out-to-out width to 92.09'. There will be fill added in the floodway for the ramp lanes which will be at the same approximate elevation as the I-65 through lanes. The fills final elevation will be approximately 680 NGVD. There will be minimal work in the channel. The ramp side slopes will be 3:1. Details of the project are contained in information received electronically at the Division of Water on October 18, 2007 and in plans and information received at the Division of Water

on

Location : At the I-65 bridges over Main Beaver Dam Ditch located approximately 3.2 miles

south of US 30

at Crown Point, Center Township, Lake County Section 3, T 34N, R 8W, Crown Point Quadrangle

Quad Code: 4108743

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24564

Stream : Middle Branch Clifty Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42 inch diameter steel natural gas pipeline will be placed beneath Middle

Branch Clifty Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5 ft of cover beneath the streambed and a minimum of 3 ft in the banks. Details of the project are contained in information received electronically at the Division of Water on October 18, 2007 and in plans and information received at the Division of Water

on

Location : The pipeline will cross Middle Branch Clifty Creek about 2.5 miles northeast of

Sandusky, Indiana, about 0.2 mile west/northwest of the intersection of E CORD

640 N and N CORD 225 E, and about 0.7 mile west of the intersection of E

CORD 650 N and N CORD 150 E.

near Sandusky, Clinton Township, Decatur County

Section 5, T 11N, R 10E, Milroy Quadrangle

Quad Code: 3908544

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20870

Lake : Lake George

Applicant : Walter A Leuenberger, Jr

PO Box 2

Woodburn, IN 46979-0002

Description : An existing 8' wide by 21' long boatwell will be filled with clean non-toxic material.

The existing boathouse will be completely removed and trucked off site. Also, a straight concrete seawall will be constructed across 8' of the end of the boatwell to contain the fill material. The new seawall will connect to existing concrete seawalls on both sides of the existing boatwell. In addition, a concrete seawall will be refaced with a layer of concrete across 30' of the applicant's 40' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are

contained in information and plans received at the Division of Water on

September 5, 2007 and October 11, 2007.

Location : 60 Lane 201A

near Jamestown, Jamestown Township, Steuben County

SW1/4, NE1/4, SW1/4, Section 14, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4623868 North, 665853 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20887

Lake : Dewart Lake

Applicant : Kim Slocum

204 EMS D18

Syracuse, IN 46567-7905

Description : A glacial stone seawall will be refaced with a layer of glacial stone across 105' of

the applicant's frontage. Details of the project are contained in information and plans received at the Division of Water on September 24, 2007 and September

28, 2007.

Location : Lot 2 of Lecout plat

near Milford, Van Buren Township, Kosciusko County

SW1/4, SE1/4, SW1/4, Section 30, T 34N, R 7E

UTM Coordinates: Downstream 4580335 North, 603532 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20888

Lake : Blue Lake

Applicant : Robert and Linda Allman

6575 East Harrold Road Churubusco, IN 46723-9767

Description : A 70' by 30' underwater beach will be constructed across 70' of the applicant's

150' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of

Water on September 25, 2007.

Location : 6575 East Harrold Road; Lots 1 and 2 in Frank Harrolds, Third Addition

near Churubusco, Smith Township, Whitley County

SE¼, NE¼, NE¼, Section 16, T 32N, R 10E, Churubusco Quadrangle

Quad Code: 4108523

UTM Coordinates: Downstream 4566078 North, 636837 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20889

Lake : Tamarack Lake

Applicant : Tim Abbett

P.O. Box 91

2763 Rockhill Lane Zanesville, IN 46799

Description : A 25' by 25' underwater beach will be constructed across 25' of the applicant's

100' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of

Water on September 28, 2007 and October 11, 2007.

Location : Lot 139 of Oak Shores Addition

near Rome City, Orange Township, Noble County

NE¼, SE¼, SE¼, Section 17, T 35N, R 10E, Albion Quadrangle

Quad Code: 4108544

UTM Coordinates: Downstream 4593795 North, 633064 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20894

Lake : Irish Lake

Applicant : William and Mary Thompson

56 EMS B36A Lane Warsaw, IN 46582-6623

Description : A 20' by 50' underwater beach will be constructed across 20' of the applicant's 40'

frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water

on October 9, 2007 and October 17, 2007.

Location : 56 EMS B36A; Lot 31 of McKenna Park Second Addition

near North Webster, Tippecanoe Township, Kosciusko County

NW1/4, NE1/4, NE1/4, Section 29, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4572024 North, 606057 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20897

Lake : Big Long Lake

Applicant : Jim Mooney

7303 West Creekside Drive New Palestine, IN 46163-9564

Description : A new vinyl seawall will be constructed along 50' of the applicant's property

following the lakes average/legal shoreline. The wall will consist of 18" "x 6' sheets driven 3' into the lakebed leaving a 3' exposure from the lake bottom. The wall will then be caped with an aluminum cap with a heavy aluminum whale insert under the cap that will be tied back to the bank every 4.5' with are deadmen system. Clean pea stone will be used for backfill behind the wall then topped of with 3 to 4" of screened topsoil graded to the existing ground level. Details of the project are contained in information received electronically at the Division of

Water on October 15, 2007 and in plans and information received at the Division

of Water on

Location : 9235 East 530 South

near Wolcottville, Milford Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20898

Lake : Lake of the Woods

Applicant : David Oberly

6355 Kng Road

Plymouth, IN 46563-8909

Description : A 120'x 34' area at the end of a man made channel will be dredged out to a

maximum of 4' to maintain boat traffic and temporary storage. All material will be pumped with a hydraulic dredge into a 70'x30' 10 ounce geo textile bag for containment and dewatering. The bag will be placed 18' from the water between the end of the channel and along the side of the road. Details of the project are contained in information received electronically at the Division of Water on October 15, 2007 and in plans and information received at the Division of Water

on

Location : 3132 Channelwood Lane

near Bremen, German Township, Marshall County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20900

Lake : Waldron Lake

Applicant : Timothy L Wade

10572 Madison Brooks Drive Fortville, IN 46040-9421

Description : A new seawall will be constructed along the frontage of the applicant on Waldron

Lake to deter shoreline erosion. The wall will be composed of 2 inch to 12 inch diameter glacial stoneand will be approximately 40 ft long. Its lakeward face will be at the legal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on October 18, 2007

and in plans and information received at the Division of Water on

Location : 10097 Eagle Island Road

near Rome City, Orange Township, Noble County

Location

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake